

Cresulip®

Rosuvastatin Calcium




The Lipid Balance



High Tolerability Profile

Percentage of patients with an adverse event leading to withdrawal



Adapted from Brewer HB et al. Am J Cardiol 2003;92(Suppl):23K–29K


- **Rosuvastatin is well tolerated⁵**
- Adverse events were mild and transient with low withdrawal rate⁵

Cresulip®

Rosuvastatin Calcium

Powerful Impact on Key Lipid Parameters


- Rosuvastatin demonstrates highly effective reductions on LDL-C¹



* p<0.002 vs atorvastatin 10 mg; simvastatin 10, 20, 40 mg; pravastatin 10, 20, 40 mg; † p<0.002 vs atorvastatin 20, 40 mg; simvastatin 20, 40, 80 mg; pravastatin 20, 40 mg; ‡ p<0.002 vs atorvastatin 40 mg; simvastatin 40, 80 mg; pravastatin 40 mg

Adapted from Jones PH et al. Am J Cardiol 2003;92:152–160

- Rosuvastatin produces a significant increase in HDL-C¹




* p<0.002 vs atorvastatin 20, 40 and 80 mg; † p<0.002 vs atorvastatin 40 and 80 mg

Adapted from Jones PH et al. Am J Cardiol 2003;92:152–160


- This increase in HDL-C is maintained across its dosage range¹

Remarked Influence on the Progression of Atherosclerosis

- Rosuvastatin significantly lowers progression of atherosclerosis compared to placebo in patients at low risk for CAD²




- Long term treatment with Rosuvastatin results in a significant regression in Coronary Atheroma Burden in patients with established coronary disease³



- Regression occurred in almost 4 out of 5 patients³

Documented Reductions in CV Mortality and Morbidity

- Rosuvastatin significantly reduces the incidence of major cardiovascular events* in patients with low to normal LDL-C but at increased risk for CAD⁴



- The number needed to treat to prevent the occurrence of one event* is 25⁴

*Events including: nonfatal myocardial infarction, nonfatal stroke, arterial revascularization, hospitalization for unstable angina or confirmed death from cardiovascular causes

Cresulip®

Rosuvastatin Calcium

- Produces powerful impact on key lipid parameters at low dose and across the dosage range
- Achieves remarked influence on the progression of atherosclerosis
- Shows remarked regression in Coronary Atheroma Burden in patients with established coronary disease
- Documented reductions in cardiovascular mortality and morbidity
- Generally well tolerated

**Help Achieve
The Lipid Balance
With Cresulip®**

References:

(1) Jones PH et al. Am J Cardiol 2003;92:152–160. (2) Crouse JR III, et al. JAMA. 2007. 297(12):1344-1345. (3) Nissen S et al. JAMA 2006; 295 (13):1556-1565. (4) Ridker et al. N Engl J Med 2008, volume 359, Number 21. (5) Brewer HB et al. Am J Cardiol 2003;92(-Suppl):23K–29K.

Before prescribing please consult physicians' circular.

* Registered trade name

Cresulip® manufactured by 

State of the art manufacturing facility
Certified European GMP
ISO Certified



CE GMP